

The reply filed on February 13, 2008, is not fully responsive to the prior Office Action because of the following omissions or matters:

The Applicant is apparently attempting to add more *partial* views of embodiments, but the proposed drawings fail to comply with 37 CFR 1.84(h)(2) in that a smaller scale view showing the whole formed by the partial views and indicating the positions of the parts shown has not been submitted. The new drawing sheets and the proposed amendments to the specification have therefore **not** been entered. It is recommended that the Applicant simply modify one or more of the (originally) existing figures to plainly show the dual enlarged chambers as claimed.

Attention is directed to 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse, whose telephone number is 571-272-4762 and who is generally available Monday, Tuesday, and Thursday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

**/David H. Willse/  
Primary Examiner  
Art Unit 3738**